

规格承认书

Specification for approval

产品名称: 5AG AGU 汽车音响保险丝座保险丝盒

Product Type: Car Audio Amplifier Heavy Duty Multi ANL

AGU 5AG Auto Fuse Holder 2 Way 3 Way 4 Way Automotive

Inline Fuse Block

Ao littel Technology Co.Ltd.

Bld. 16,Yanhe East Road,Xiangdong Village, Dongguan 523833,
Guangdong,China

H.P.: 1371362419

Fax #:0769-89390418

QQ #: 3217998702

Email : eric.lye@aolittel.com

<http://www.passivemall.com/>

<http://www.aolittel.com/>

1. Scope

Fuses are one of the most important components you will install in a car audio sound system. Most fuses consist of a metal strip or wire fuse element mounted between a pair of electrical terminals enclosed by a non-conducting and non-combustible housing. The main objective of a fuse is to interrupt excessive current (also known as blows) to protect the wiring and electrical equipment from overheating and fire.

2. Specification

CY-130A

IN-LINE AGU(5AG) FUSE HOLDER



Unique See-Thru material
Clear Housing with Mounting Clip.
All Metal Parts Are 24 Kt.Gold Finish
Accept AGU Fuse Up To 80 Amps.
Perfect Fit For 4/8 Gauge Power Cable
Set Screw Design-No Crimping Required.

CY-130B

IN-LINE AGU(5AG) FUSE HOLDER



Unique See-Thru material
Clear Housing with Mounting Clip.
All Metal Parts Are 24 Kt.Gold Finish
Accept AGU Fuse Up To 80 Amps.
Perfect Fit For 4/8 Gauge Power Cable
Set Screw Design-No Crimping Required.

CY-130C

IN-LINE AGU(5AG) FUSE HOLDER



Unique See-Thru material
Clear Housing with Mounting Clip.
All Metal Parts Are 24 Kt.Gold Finish
Accept AGU Fuse Up To 80 Amps.
Perfect Fit For 4/8 Gauge Power Cable
Set Screw Design-No Crimping Required.

CY-130D

IN-LINE AGU(5AG) FUSE HOLDER



Unique See-Thru material
Clear Housing with Mounting Clip.
All Metal Parts Are 24 Kt.Gold Finish
Accept AGU Fuse Up To 80 Amps.
Perfect Fit For 4/8 Gauge Power Cable
Set Screw Design-No Crimping Required.

CY-130E

IN-LINE AGU(5AG) FUSE HOLDER



Unique See-Thru material
Clear Housing with Mounting Clip.
All Metal Parts Are 24 Kt.Gold Finish
Accept AGU Fuse Up To 80 Amps.
Perfect Fit For 4/8 Gauge Power Cable
Set Screw Design-No Crimping Required.

CY-141

2 POSITION AGU(5AG) FUSE HOLDER



24 Kt.Gold Finish
Accept two AGU Fuse.
Three 4 AWG Power Cable Input and two 8 AWG
Power Cable Output.

CY-151

3 POSITION AGU(5AG) FUSE HOLDER



24 Kt.Gold Finish
Accept two AGU Fuse.
Three 4 AWG Power Cable Input and two 8 AWG
Power Cable Output.

CY-161

4 POSITION AGU(5AG) FUSE HOLDER



24 Kt.Gold Finish
Accept two AGU Fuse.
Three 4 AWG Power Cable Input and two 8 AWG
Power Cable Output.

PB-1044

One to Four Power Distribution Block



24 Kt.Gold Finish/Power Cable Output.
Accept two AGU Fuse.
Three 4 AWG Power Cable Input and two 8 AWG

SM01

Two with display fuse holder



SM02

Two with display fuse holder
2 POSITION.2GA OR 4 GA IN 2GA OR 4GA
OUT



SM03

DIGITAL BATTERY CLIP
1 POSITION.2GA OR 4 GA IN 2GA OR 4GA
OUT

